ELSEVIER

Journal of Inorganic Biochemistry 73 (1999) 281

JOURNAL OF Inorganic Biochemistry

Author Index of Volume 73

Addison, A.W., 137
Airoldi, C., 253
Albertini, R., 7
Alonso, C., 235
Atrian, S., 57

Baran, E.J., 259
Baratto, M.C., 157
Basosi, R., 157
Beck, J.L., 245
Belicchi Ferrari, M., 7
Bereman, R.D., 227
Bień, M., 49
Blanc, Ph., 221
Bofill, R., 57
Bohic, S., 129
Borissevitch, I.E., 35
Bouet, G., 167
Bowen, L.H., 227
Brasch, N.E., 215
Busi, E., 157

Calvo, R., 151
Capdevila, M., 57
Castellano, E.E., 151
Changzheng, L., 195
Chen, Y., 145
Ciuffi, K.J., 85
Cols, N., 57
Couchourel, D., 129
Cukrowski, I., 265

Daculsi, G., 129
Dalosto, S.D., 151
Darbre, T., 273
de Farias, R.F., 253
De Grave, E., 227
De Jersey, J., 245
Do, Y., 187
Dodi, K., 41
Do Thanh, X., 167
Durack, M.C.A., 245

Egan, T.J., 101
Escandar, G., 93
Escoffier, C., 129

Ferreyra, M.G., 151
Filella, M., 17
Finke, R.G., 215
Fortun, Y., 129
Freeman, H.C., 173
Frutos, A., 93

Gaft, M., 221
Gandini, S.C.M., 35
García Bugarín, M., 17
Gasparri Fava, G., 7
Givan, A., 221
González-Duarte, P., 57
González-Duarte, R., 57
González-Sierra, M., 93
Grootveld, M., 65

Hadjiliadis, N., 41
Hambley, T.W., 173
Hamilton, S.E., 245
Hempelmann, E., 101
Hino, A., 1
Huang, S., 227

Iamamoto, Y., 85
Iwamoto, L.S., 85

Jackson, G.E., 265
Jackson, L., 137
Jakimowicz, P., 49
Jarvis, N.V., 265
Ji, L.-N., 117
Jie, G., 195
Jigui, W., 195
Joshi, V.N., 109

Kawahashi, T., 1
Keese, R., 273
Keppler, B.K., 123
Khan, M.A., 167
Knight, B., 227
Kobayashi, T., 1
Kozłowski, H., 123
Kurihara, M., 31

Lachowicz, T.M., 49
Layani, J.D., 221
Li, H., 117
Li, R.-H., 117
Lin, H., 145
Liu, J.-G., 117
Liufang, W., 195
Louloudi, M., 41
Louw, W.K.A., 265
Lunghi, P., 7
Lynch, E., 65

Malandrinos, G., 41
Manso, C.M.C.P., 85
Matsumoto, T., 1
Mavuso, W.W., 101
Mayer, I., 221
Mercê, A.L.R., 167
Mikami, T., 1
Min, R., 195
Montero, E.I., 235
Moreno, V., 93
Mouton, C.J., 265

Naiyong, J., 195
Nascimento, O.R., 85
Navarro-Ranninger, C., 235
Neri, C.R., 85
Nijasure, A.M., 109

Odani, A., 203
Ohyoshi, E., 31

Padrines, M., 129
Palacios, Ò., 57
Pelizzi, C., 7
Pelosi, G., 7
Pérez, J., 235
Perussi, J.R., 35
Pinelli, S., 7
Piro, O.E., 151, 259
Pogni, R., 157
Pruchnik, F.P., 49
Puspita, W.J., 203

Quiroga, A.G., 235

Rodríguez-Argüelles, M.C., 7
Rohanizadeh, R., 129

Sacco, H.C., 85
Sakata, T., 31
Sala, L.F., 93
Salas-Peregrin, J.M., 93
Sánchez, A., 7
Santoro, M., 93
Sawant, A.D., 109
Scatena Júnior, H., 253
Seniuk, A., 49
Serra, O.A., 85
Sheerin, A., 65
Shi, D., 173
Signorella, S., 93
Silwood, C.J., 65
Sohn, Y.S., 187
Stephanos, J.J., 137
Su, X., 145
Sun, H., 145
Suzuki, M., 1
Szpoganicz, B., 167

Tabak, M., 35
Trynda-Lemiesz, L., 123

Vidoto, E.A., 85

Wagner, C.C., 259
Watabe, M., 1
Watanabe, T., 1

Yamauchi, O., 203
Ye, B.-H., 117
Yoo, J., 187
Yu, P., 145
Yushmanov, V.E., 35

Zeevaart, J.R., 265
Zhao, G., 145
Zheng, D., 273
Zhou, J.-Y., 117
Zhu, S., 145

ELSEVIER

Journal of Inorganic Biochemistry 73 (1999) 283–286

JOURNAL OF Inorganic Biochemistry

Subject Index of Volume 73

Acidic and basic amino acid residues
  copper(II)–dipeptide complexes containing an acidic and a basic amino acid residue. Side chain effects on structures and stabilities, 203
Acidity
  methanol and dimethylaniline as methylating agents of Co(I) corrinoids under acidic conditions, 273
Activation of leaving groups
  methanol and dimethylaniline as methylating agents of Co(I) corrinoids under acidic conditions, 273
Adducts
  thermoanalytical investigations about the metal–amino acid interactions, 253
Aggregates
  binding of the Mn(III) complex of *meso*-tetrakis(4-*N*-methyl-pyridiniumyl)porphyrin to DNA. Effect of ionic strength, 35
Akaganeite
  comparison of the core size distribution in iron dextran complexes using Mössbauer spectroscopy and X-ray diffraction, 227
Aluminium
  complexation of aluminium with (−)-epigallocathechin gallate studied by spectrophotometry, 31
L-Amino acids
  ternary complexes of palladium(II) with levamisole and L-amino acids, 109
Antibacterial activity
  studies of antibacterial activity of binuclear rhodium(II) complexes with heterocyclic nitrogen ligands, 49
Anticancer agents
  synthesis, structures and antitumor activity of the first crown ester-linked bipyridyl platinum complexes, 187
Antimalarial drugs
  characterisation of synthetic β-haematin and effects of the antimalarial drugs quinidine, halofantrine, desbutylhalofantrine and mefloquine on its formation, 101
Antitumor activity
  synthesis, characterization and antitumor activity of copper(II) complex with nicotinamido-4-bis(2-chloroethyl)aminobenzaldimine, 195
Apoglobin stability
  copper(II) Schiff-base complexes and apoglobin stability, 137
Apoptosis
  a cycloplatinated compound of *p*-isopropylbenzaldehyde thiosemicarbazone and its chloro-bridged derivative induce apoptosis in *cis*-DDP resistant cells which overexpress the H-*ras* oncogene, 235

Binuclear rhodium(II) complexes
  studies of antibacterial activity of binuclear rhodium(II) complexes with heterocyclic nitrogen ligands, 49
Biomineralization
  effects of fibronectin on hydroxyapatite formation, 129
Bipyridine complexes
  studies of antibacterial activity of binuclear rhodium(II) complexes with heterocyclic nitrogen ligands, 49
  synthesis, structures and antitumor activity of the first crown ester-linked bipyridyl platinum complexes, 187
Bis(L-alaninato)zinc(II)
  structure of bis(L-alaninato)zinc(II) and single crystal EPR spectra of Cu(II) impurities, 151
Bisphosphonates
  metal-ion speciation in blood plasma incorporating the bisphosphonate, 1-hydroxy-4-aminopropilydenediphosphonate (APD), in therapeutic radiopharmaceuticals, 265
Blood plasma
  metal-ion speciation in blood plasma incorporating the bisphosphonate, 1-hydroxy-4-aminopropilydenediphosphonate (APD), in therapeutic radiopharmaceuticals, 265

Cadmium chloride
  thermoanalytical investigations about the metal–amino acid interactions, 253
Carbonated hydroxyapatite
  La ions in precipitated hydroxyapatites, 221
Cathechins
  complexation of aluminium with (−)-epigallocathechin gallate studied by spectrophotometry, 31
Cationic porphyrins
  binding of the Mn(III) complex of *meso*-tetrakis(4-*N*-methyl-pyridiniumyl)porphyrin to DNA. Effect of ionic strength, 35
Chromium(III)–aldonate complexes
  the interaction of D-galactonic acid with Cr^{VI} and Cr^{III}. Structure, stability and physical properties of Cr^{III}–aldonate complexes, 93
Circular dichroism
  studies on the interactions between human serum albumin and imidazolium [*trans*-tetrachlorobis(imidazol)ruthenate(III)], 123
Cobalamins
  a simple, convenient and direct method for assessing the purity of cobalamins, 215
Competition
  complexation of aluminium with (−)-epigallocathechin gallate studied by spectrophotometry, 31
Complexation
  complexation of aluminium with (−)-epigallocathechin gallate studied by spectrophotometry, 31
Copper complexes
  copper(II) Schiff-base complexes and apoglobin stability, 137
  EPR and $O_2^{\bullet -}$ scavenger activity: Cu(II)–peptide complexes as superoxide dismutase models, 157
Copper(I) binding
  a new insight into the Ag^+ and Cu^+ binding sites in the metallothionein β domain, 57
Core size
  comparison of the core size distribution in iron dextran complexes using Mössbauer spectroscopy and X-ray diffraction, 227

Corrinoids
methanol and dimethylaniline as methylating agents of Co(I) corrinoids under acidic conditions, 273
Crystal growth
effects of fibronectin on hydroxyapatite formation, 129
Crystal structures
transition-metal complexes of isatin-β-thiosemicarbazone. X-ray crystal structure of two nickel complexes, 7
synthesis, structures and antitumor activity of the first crown ester-linked bipyridyl platinum complexes, 187
copper(II)–dipeptide complexes containing an acidic and a basic amino acid residue. Side chain effects on structures and stabilities, 203
characterization of bis(isoorotato)diaquamagnesium(II) dihydrate: a potentially useful complex for magnesium supplementation, 259
Cu(II)–dipeptide complexes
copper(II)–dipeptide complexes containing an acidic and a basic amino acid residue. Side chain effects on structures and stabilities, 203
Cu(II) impurities
structure of bis(L-alaninato)zinc(II) and single crystal EPR spectra of Cu(II) impurities, 151
Cyclometallated compounds
a cycloplatinated compound of *p*-isopropylbenzaldehyde thiosemicarbazone and its chloro-bridged derivative induce apoptosis in *cis*-DDP resistant cells which overexpress the H-*ras* oncogene, 235
Cytotoxicity
ethylenediamine-palladium(II) complexes with pyridine and its derivatives: synthesis, molecular structure and initial antitumor studies, 145
a cycloplatinated compound of *p*-isopropylbenzaldehyde thiosemicarbazone and its chloro-bridged derivative induce apoptosis in *cis*-DDP resistant cells which overexpress the H-*ras* oncogene, 235

Dimethylthallium(III)
the formation constants of dimethylthallium(III)–glutathione complexes in aqueous solution, 17
Dipeptide ligands
three new platinum(II)–dipeptide complexes, 173
Dipeptides
preparation, ^{195}Pt NMR spectra and biological activity of platinum(IV) complexes with dipeptides, 1
Dipyridophenazine
synthesis, characterization and DNA-binding properties of novel dipyridophenazine complex of ruthenium(II): $[Ru(IP)_2(DPPZ)]^{2+}$, 117
Dissolution studies
characterization of bis(isoorotato)diaquamagnesium(II) dihydrate: a potentially useful complex for magnesium supplementation, 259
DNA
binding of the Mn(III) complex of *meso*-tetrakis(4-*N*-methyl-pyridiniumyl)porphyrin to DNA. Effect of ionic strength, 35
DNA binding
synthesis, characterization and DNA-binding properties of novel dipyridophenazine complex of ruthenium(II): $[Ru(IP)_2(DPPZ)]^{2+}$, 117
cis-DDP
a cycloplatinated compound of *p*-isopropylbenzaldehyde thiosemicarbazone and its chloro-bridged derivative induce apoptosis in *cis*-DDP resistant cells which overexpress the H-*ras* oncogene, 235

Electrochemistry
methanol and dimethylaniline as methylating agents of Co(I) corrinoids under acidic conditions, 273
Enzyme inactivation
irreversible inactivation of purple acid phosphatase by hydrogen peroxide and ascorbate, 245
EPR spectroscopy
structure of bis(L-alaninato)zinc(II) and single crystal EPR spectra of Cu(II) impurities, 151
EPR and $O_2^{\bullet -}$ scavenger activity: Cu(II)–peptide complexes as superoxide dismutase models, 157

Fenton chemistry
irreversible inactivation of purple acid phosphatase by hydrogen peroxide and ascorbate, 245
Fibronectin
effects of fibronectin on hydroxyapatite formation, 129
Fluorescence
binding of the Mn(III) complex of *meso*-tetrakis(4-*N*-methyl-pyridiniumyl)porphyrin to DNA. Effect of ionic strength, 35
Fluorescence quenching
studies on the interactions between human serum albumin and imidazolium [*trans*-tetrachlorobis(imidazol)ruthenate(III)], 123
Formation constants
the formation constants of dimethylthallium(III)–glutathione complexes in aqueous solution, 17
β Fragment
a new insight into the Ag^+ and Cu^+ binding sites in the metallothionein β domain, 57

Galactonate
the interaction of D-galactonic acid with Cr^{VI} and Cr^{III}. Structure, stability and physical properties of Cr^{III}–aldonate complexes, 93
Glutathione
the formation constants of dimethylthallium(III)–glutathione complexes in aqueous solution, 17
Glycine
thermoanalytical investigations about the metal–amino acid interactions, 253

H-*ras*
a cycloplatinated compound of *p*-isopropylbenzaldehyde thiosemicarbazone and its chloro-bridged derivative induce apoptosis in *cis*-DDP resistant cells which overexpress the H-*ras* oncogene, 235
β-Haematin
characterisation of synthetic β-haematin and effects of the antimalarial drugs quinidine, halofantrine, desbutylhalofantrine and mefloquine on its formation, 101
Heme binding
studies on the interactions between human serum albumin and imidazolium [*trans*-tetrachlorobis(imidazol)ruthenate(III)], 123
Human saliva
multicomponent evaluations of the oxidising actions and status of a peroxoborate-containing tooth-whitening system in whole human saliva using high resolution proton NMR spectroscopy, 65
Human serum albumin
studies on the interactions between human serum albumin and imidazolium [*trans*-tetrachlorobis(imidazol)ruthenate(III)], 123
Hydrophobic vitamin B_{12}
methanol and dimethylaniline as methylating agents of Co(I) corrinoids under acidic conditions, 273
Hydroxyapatite
effects of fibronectin on hydroxyapatite formation, 129
Hyperfine-field distribution
comparison of the core size distribution in iron dextran complexes using Mössbauer spectroscopy and X-ray diffraction, 227

Iron dextran
comparison of the core size distribution in iron dextran complexes using Mössbauer spectroscopy and X-ray diffraction, 227
Ironporphyrins
characterization of iron(III)porphyrin–hydroxo complexes in organic media through UV–Vis and EPR spectroscopies, 85
Isatin-thiosemicarbazone
transition-metal complexes of isatin-β-thiosemicarbazone. X-ray crystal structure of two nickel complexes, 7

Lanthanum hydroxyapatite
La ions in precipitated hydroxyapatites, 221
Levamisole
ternary complexes of palladium(II) with levamisole and L-amino acids, 109
Ligand–ligand interactions
copper(II)–dipeptide complexes containing an acidic and a basic amino acid residue. Side chain effects on structures and stabilities, 203
Line broadening
comparison of the core size distribution in iron dextran complexes using Mössbauer spectroscopy and X-ray diffraction, 227
Luminescence of Gd-hydroxyapatite
la ions in precipitated hydroxyapatites, 221

Mössbauer spectroscopy
comparison of the core size distribution in iron dextran complexes using Mössbauer spectroscopy and X-ray diffraction, 227
Magnesium isoorotate
characterization of bis(isoorotato)diaquamagnesium(II) dihydrate: a potentially useful complex for magnesium supplementation, 259
Magnesium supplementation
characterization of bis(isoorotato)diaquamagnesium(II) dihydrate: a potentially useful complex for magnesium supplementation, 259
Malaria
characterisation of synthetic β-haematin and effects of the antimalarial drugs quinidine, halofantrine, desbutylhalofantrine and mefloquine on its formation, 101
Metal binding
metal complexes with 2-(α-hydroxy-benzyl)thiamin pyrophosphate (HBTPP). Models for metal binding of thiamin enzymes, 41
Metalloenzymes
irreversible inactivation of purple acid phosphatase by hydrogen peroxide and ascorbate, 245
Metallothionein
a new insight into the Ag^+ and Cu^+ binding sites in the metallothionein β domain, 57
Mononuclear palladium complexes
ethylenediamine-palladium(II) complexes with pyridine and its derivatives: synthesis, molecular structure and initial antitumor studies, 145

Nanophase
comparison of the core size distribution in iron dextran complexes using Mössbauer spectroscopy and X-ray diffraction, 227
Nicotinamido-4-bis(2-chloroethyl)aminobenzaldimine
synthesis, characterization and antitumor activity of copper(II) complex with nicotinamido-4-bis(2-chloroethyl)aminobenzaldimine, 195
NMR spectroscopy
preparation, ^{195}Pt NMR spectra and biological activity of platinum(IV) complexes with dipeptides, 1
multicomponent evaluations of the oxidising actions and status of a peroxoborate-containing tooth-whitening system in whole human saliva using high resolution proton NMR spectroscopy, 65

Palladium(II)
ternary complexes of palladium(II) with levamisole and L-amino acids, 109
Peptides
EPR and $O_2^{\bullet -}$ scavenger activity: Cu(II)–peptide complexes as superoxide dismutase models, 157
Peroxoborate
multicomponent evaluations of the oxidising actions and status of a peroxoborate-containing tooth-whitening system in whole human saliva using high resolution proton NMR spectroscopy, 65
Phenanthroline complexes
studies of antibacterial activity of binuclear rhodium(II) complexes with heterocyclic nitrogen ligands, 49
Platinum complexes
preparation, ^{195}Pt NMR spectra and biological activity of platinum(IV) complexes with dipeptides, 1
synthesis, structures and antitumor activity of the first crown ester-linked bipyridyl platinum complexes, 187
Platinum(II) complexes
three new platinum(II)–dipeptide complexes, 173
Porphyrins
characterization of iron(III)porphyrin–hydroxo complexes in organic media through UV–Vis and EPR spectroscopies, 85
Potentiometry
potentiometric study of vitamin D_3 complexes with manganese(II), iron(II), iron(III) and zinc(II) in water–ethanol medium, 167
metal-ion speciation in blood plasma incorporating the bisphosphonate, 1-hydroxy-4-aminopropilydenediphosphonate (APD), in therapeutic radiopharmaceuticals, 265
Purity
a simple, convenient and direct method for assessing the purity of cobalamins, 215
Purple acid phosphatase
irreversible inactivation of purple acid phosphatase by hydrogen peroxide and ascorbate, 245
Pyridine derivatives
ethylenediamine-palladium(II) complexes with pyridine and its derivatives: synthesis, molecular structure and initial antitumor studies, 145
Pyruvate
multicomponent evaluations of the oxidising actions and status of a peroxoborate-containing tooth-whitening system in whole human saliva using high resolution proton NMR spectroscopy, 65

Quenching
binding of the Mn(III) complex of *meso*-tetrakis(4-*N*-methyl-pyridiniumyl)porphyrin to DNA. Effect of ionic strength, 35

Reactive oxygen species
irreversible inactivation of purple acid phosphatase by hydrogen peroxide and ascorbate, 245
Recombinant β-metallothionein
a new insight into the Ag^+ and Cu^+ binding sites in the metallothionein β domain, 57
Rhodium(II)
studies of antibacterial activity of binuclear rhodium(II) complexes with heterocyclic nitrogen ligands, 49
Ruthenium complexes
synthesis, characterization and DNA-binding properties of novel dipyridophenazine complex of ruthenium(II): $[Ru(IP)_2(DPPZ)]^{2+}$, 117
Ruthenium(III)
studies on the interactions between human serum albumin and imidazolium [*trans*-tetrachlorobis(imidazol)ruthenate(III)], 123

Scavenger activity
EPR and $O_2^{\bullet -}$ scavenger activity: Cu(II)–peptide complexes as superoxide dismutase models, 157
Schiff bases
copper(II) Schiff-base complexes and apoglobin stability, 137
Silver(I) binding
a new insight into the Ag^+ and Cu^+ binding sites in the metallothionein β domain, 57
Speciation
metal-ion speciation in blood plasma incorporating the bisphosphonate, 1-hydroxy-4-aminopropilydenediphosphonate (APD), in therapeutic radiopharmaceuticals, 265
Spectrophotometry
complexation of aluminium with (−)-epigallocathechin gallate studied by spectrophotometry, 31
Spectroscopic properties
characterization of bis(isoorotato)diaquamagnesium(II) dihydrate: a potentially useful complex for magnesium supplementation, 259
Stability
the interaction of D-galactonic acid with Cr^{VI} and Cr^{III}. Structure, stability and physical properties of Cr^{III}–aldonate complexes, 93
Stability constants
copper(II)–dipeptide complexes containing an acidic and a basic amino acid residue. Side chain effects on structures and stabilities, 203
Structures
the interaction of D-galactonic acid with Cr^{VI} and Cr^{III}. Structure, stability and physical properties of Cr^{III}–aldonate complexes, 93
Supernucleophilicity
methanol and dimethylaniline as methylating agents of Co(I) corrinoids under acidic conditions, 273
Superoxide dismutase models
EPR and $O_2^{\bullet -}$ scavenger activity: Cu(II)–peptide complexes as superoxide dismutase models, 157
Synthesis
synthesis, characterization and DNA-binding properties of novel dipyridophenazine complex of ruthenium(II): $[Ru(IP)_2(DPPZ)]^{2+}$, 117
Tetrabutylammonium hydroxide
characterization of iron(III)porphyrin–hydroxo complexes in organic media through UV–Vis and EPR spectroscopies, 85
Therapeutic radiopharmaceuticals
metal-ion speciation in blood plasma incorporating the bisphosphonate, 1-hydroxy-4-aminopropilydenediphosphonate (APD), in therapeutic radiopharmaceuticals, 265
Thermogravimetry
thermoanalytical investigations about the metal–amino acid interactions, 253
Thiamin enzymes
metal complexes with 2-(α-hydroxy-benzyl)thiamin pyrophosphate (HBTPP). Models for metal binding of thiamin enzymes, 41
Thiamin pyrophosphate
metal complexes with 2-(α-hydroxy-benzyl)thiamin pyrophosphate (HBTPP). Models for metal binding of thiamin enzymes, 41
Thiosemicarbazone complexes
transition-metal complexes of isatin-β-thiosemicarbazone. X-ray crystal structure of two nickel complexes, 7
Titrations
characterization of iron(III)porphyrin–hydroxo complexes in organic media through UV–Vis and EPR spectroscopies, 85
Tooth-whitening agent
multicomponent evaluations of the oxidising actions and status of a peroxoborate-containing tooth-whitening system in whole human saliva using high resolution proton NMR spectroscopy, 65
Triplet states
binding of the Mn(III) complex of *meso*-tetrakis(4-*N*-methyl-pyridiniumyl)porphyrin to DNA. Effect of ionic strength, 35
Vitamin D_3 metallic complexes
potentiometric study of vitamin D_3 complexes with manganese(II), iron(II), iron(III) and zinc(II) in water–ethanol medium, 167
Water–ethanol
potentiometric study of vitamin D_3 complexes with manganese(II), iron(II), iron(III) and zinc(II) in water–ethanol medium, 167